



Science.
Applied to Life.™

One topcoat. More possibilities.

3M™ Versatile Print Label Material

Versatile

Let the creativity flow.

The future of labels is here. More than just possibilities, 3M™ Versatile Print Label Material works with more inks on more printing presses. It is the single topcoat that lets you print every label with confidence.

- ▶ Print water-based flexographic on gloss films
- ▶ Run more jobs per batch on digital presses
- ▶ Create labels that last longer and look more vibrant than ever

From critical needs like durable protection of variable data and barcodes to customer specifications for more vibrant, brand-matched color, streamline your workflow by choosing 3M™ Versatile Print Label Material.



Versatile across these printing methods:

- ▶ Water-Based Flexographic
- ▶ UV Flexographic
- ▶ UV Digital
- ▶ Thermal Transfer
- ▶ Screen Printing



Verified

Trusted results on more presses.

When critical data must be readable and long-lasting, testing of 3M™ Versatile Print Label Material shows outstanding durability, so your label info will be there for the long haul.

- ▶ UL Component Recognition to UL969 labeling and Marking Standard with many ink systems and print technologies*
- ▶ Collaboration with print press OEMs to qualify 3M™ Versatile Print Label Material on a number of presses
- ▶ Versatile topcoat has both high gloss and high surface energy compared to competitive offerings, giving strong performance.

*See UL file MH16411 in UL Product IQ™ (Certifications Search) at ul.com for specific details.




Print performance

Trusted materials.

3M™ Versatile Print Label Material outperforms traditional gloss PET products in key measures of print performance.

- 3M 7871V
- 3M 7908V
- 3M 7871
- - - - Competitor A
- - - - Competitor B



Ink anchorage tested via ASTM 3359 for cross hatch adhesion using 3M™ Scotch Cellophane Film Tape 610. Scratch and smear resistance tested via industry-recognized qualitative tests using thumbnail scratch and thumb pressure smear. For more information, please contact a 3M expert at 3M.com/durablelabels.

Vibrant

Stunning results.

With 3M™ Versatile Print Label Material, you have the freedom and flexibility to let your creativity flow with the topcoat that enables you to achieve the color results you are looking for.

- ▶ Streak free and crystal clear with crisp edges
- ▶ Near zero edge bleed and high image sharpness
- ▶ Create highly durable gloss labels on digital and flexo

Help your clients stand out in an increasingly competitive marketplace.



Value

Fluid operations.

Run after run. Printer to printer. Drop by drop. 3M™ Versatile Print Label Material provides the flexibility to use a single product for multiple print jobs.

- ▶ Estimating is streamlined — versatile topcoat performs on a variety of presses
- ▶ Multiple print jobs on a digital press switch out easily and have high image sharpness
- ▶ Improve efficiency by reducing or even eliminating pre-treatment steps

Stay on the forefront of the industry with a visionary topcoat that saves your business time and money — today and tomorrow.



3M innovates with you.

Support your business can count on.

Competing in a rapidly changing industry is a challenge — but you don't have to do it alone. With help from our extensive resources, global reach and local presence, 3M is here to support you with unparalleled technical expertise, quality training and customer service.

See the full portfolio at 3M.com/durablelabels.

3M™ Versatile Print Label Material	Facestock	Adhesive Type	Adhesive Thickness	Liner Type
7868V	2 mil White Gloss PET	350	1.1 mil	55# Densified Kraft
7871V	2 mil White Gloss PET	350	1.8 mil	55# Densified Kraft
7908V	2 mil White Gloss PET	350	1.8 mil	88# Densified Kraft
7331V	2 mil White Gloss PET	300	0.8 mil	55# Densified Kraft
7816V	2 mil White Gloss PET	310	0.8 mil	55# Densified Kraft
7872V	2 mil Platinized Gloss PET	350	1.8 mil	55# Densified Kraft
7875V	2 mil Platinized Gloss PET	310	0.8 mil	55# Densified Kraft

*See UL file MH16411 in UL Product iQ™ (Certifications Search) at ul.com for specific details.



Industrial Adhesives and Tapes Division
3M Center, Building 225-3S-06
St. Paul, MN 55144 USA

Phone 1-800-362-3550

Web 3M.com/durablelabels

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

© 3M 2019. All rights reserved. 3M and 3M Science Applied to Life are trademarks of 3M Company.